




Republic of the Philippines
Sandiganbayan
Quezon City

Telephone/Fax No. +632 8951-4514/ 8951-4599

sandiganbayan_supplysection@yahoo.com

Contact Persons: *Thelma Marco/Joy Gallego/Connie Haplasca*

APPROVED FOR POSTING


M.A. TERESA S. PABULAYAN
Executive Clerk of Court IV
SEP 14 2023

RFQ No.: 261-2023
Date: September 14, 2023

REQUEST for QUOTATION

The *Sandiganbayan*, through its Supply Section, Administrative Division, intends to undertake the following procurement project in accordance with Annex “H” of the 2016 Revised Implementing Rules and Regulations (RIRR) of Republic Act (R.A.) No. 9184:

Item No.	Quantity	Description	Reference P.R. No.	Approved Budget for the Contract
1	21 units	<p>Kind: Pistol Caliber: 9mm Ammunition: Ctg. 9x19 mm (NATO Standard) Finish: Dull Black (corrosion and wear resistant)</p> <p>Operational Characteristics:</p> <ul style="list-style-type: none">• <i>General Operation: Semi-Automatic</i>• <i>Action Type: Striker-Fired</i>• <i>Safety Features: Trigger Safety, Firing Pin Safety Block, Slide Lock (Preferably Ambidextrous)</i> <p>Material Composition:</p> <ul style="list-style-type: none">• <i>Barrel: High Tensile Carbon Alloy Steel</i>• <i>Upper Receiver (Slide): High Tensile Carbon Alloy Steel (Preferably Optic Ready)</i>• <i>Lower Receiver (Frame): Polymer</i> <p>Weight and Dimensions:</p> <ul style="list-style-type: none">• <i>Length (Overall): 180mm. (minimum) to 220mm. (maximum)</i>• <i>Width (Overall): 35mm. (maximum)</i>• <i>Height Including Magazine: 140mm. (maximum)</i>• <i>Weight with Magazine Assembly (empty): 1,000g. (maximum)</i>• <i>Barrel Length: 120mm. (maximum)</i> <p>Trigger Pull:</p> <ul style="list-style-type: none">• <i>1,360g. - 3,176g. (3-7 lbs.)</i> <p>Magazine Capacity:</p> <ul style="list-style-type: none">• <i>15 rounds (minimum), 17 rounds Preferred</i> <p>Magazine Release:</p> <ul style="list-style-type: none">• <i>Button or Lever (Preferably Ambidextrous)</i>	23-09-740	735,000.00

		<p>Sight:</p> <ul style="list-style-type: none">● <i>Front: Fixed, Steel Post</i>● <i>Rear: Fixed, Steel</i> <p>Tactical Rail System:</p> <ul style="list-style-type: none">● <i>Frame Integral</i> <p>Accessories:</p> <ul style="list-style-type: none">● <i>Magazine: At least Two (2) units per pistol, 15-rounds capacity (minimum), 17 rounds Preferred</i>● <i>Magazine Loader: One (1) for each unit</i>● <i>Cleaning Kit: Manufacturer's Standard</i>● <i>Technical/User's: One (1) per pistol</i> <p>Manual which includes the following:</p> <ul style="list-style-type: none">● <i>Basic Issue Items list</i>● <i>Repair parts</i>● <i>Special Tools List</i>● <i>Technical Data / Specifications of Weapon</i> <p>Gun Case:</p> <ul style="list-style-type: none">● <i>Individual Hard Plastic (Black)</i> <p>Markings:</p> <ul style="list-style-type: none">● <i>The Word "SANDIGANBAYAN" must be engraved or electroplated on the Barrel, Slide and Frame.</i> <p>Supplier shall provide and include the following:</p> <ul style="list-style-type: none">● <i>Free Registration.</i>● <i>Permit to Transport.</i>● <i>Free Demonstration. (Assembly and Disassembly)</i>● <i>Provide Venue or Shooting Range for Testing.</i>● <i>At Least 45 pcs. Live Ammunitions for each pistol for testing.</i>● <i>Seven (7) days replacement for Defective Pistol</i>● <i>One (1) year warranty for parts and services.</i>		
2	1000 pieces	<p>Caliber 9mm Service Ammunition</p> <p>Case:</p> <ul style="list-style-type: none">● <i>Brand New, Brass</i> <p>Powder:</p> <ul style="list-style-type: none">● <i>Smokeless Pistol Powder, Factory Load</i> <p>Bullet Head:</p> <ul style="list-style-type: none">● <i>125 grains ± 2 grains (123-127) Full Metal Jacket (FMJ)</i>	23-09-740	45,000.00

		Primer: <ul style="list-style-type: none"> • <i>Small Pistol Primer</i> Power Factor: <ul style="list-style-type: none"> • <i>133-138</i> Muzzle Velocity: <ul style="list-style-type: none"> • <i>1,065-1,109 feet (324.6-338.0 meters) per second</i> Note: <i>Must conform with the Terms and Condition</i>		
		nothing follows		
			Total:	780,000.00

INSTRUCTIONS

Note: Failure to follow these instructions will disqualify your entire quotation.

1. Do not alter the contents of this form in any way.
2. If another form is used other than the attach quotation form (ANNEX A), please include the following in your quotation:
 - a. Terms of Payment
 - b. Warranty; if any
 - c. Place of Delivery: SANDIGANBAYAN, Centennial Bldg., Commonwealth Ave., cor. Batasan Road, Quezon City
 - d. Delivery Period
 - e. Price Validity Period
 - f. Stock Availability
 - g. Certificate of Exclusive Distributorship; if any
 - h. Tax Identification Number (TIN)
 - i. Use company letterhead for your quotation and address to:

Atty. RITCHELLE M. DESINGAÑO-YRAÑELA
Chief Judicial Staff Officer
Administrative Division

3. All technical specifications must be complied with. Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
4. Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the email shall be considered.

TERMS and CONDITIONS

1. All quotations are considered an offer of the items specified above at the prices quoted in the Price Quotation Form ("Annex A") and a guaranty of availability of the quoted items. In the event that the offer is accepted, a Purchase Order (PO) for the above-mentioned items will be sent to the suppliers concerned advising them of such acceptance and such other terms of delivery, as applicable.

2. Delivery period shall be within fifteen (15) working days upon receipt of the PO.

3. Failure of the supplier to deliver within the period stipulated shall make the supplier liable for the payment of the difference of the amount paid by the *Sandiganbayan* to the supplier quoting the next lower price and that offered by the delinquent supplier.

4. Goods supplied are subject to inspection by the auditor or his duly authorized representative. Payment shall be made after said inspection and acceptance of items supplied, subject to the usual auditing rules and procedures, and further subject to Item No. 11 of this Terms and Conditions.

5. Price Quotation/s must be valid for a period of thirty days (30) calendar days from date of submission, except for quotations for drugs and/or medicines which must be valid for fifteen (15) calendar days from date of submission.

6. Altering and/or amending the Terms and Conditions may be considered non-responsive/non-compliant, unless such alteration or amendment is advantageous and beneficial to the Procuring Entity.

7. In case of tie, the concerned parties will be informed and invited to a "drawing of lots" or any other similar method of chance, in accordance with GPPB Circular 06-2005 ("*Tie-Breaking Method*").

8. The *Sandiganbayan* reserves the right to reject any or all offers, or accept such offer it may consider most economical and advantageous to the government.

9. The supplier warrants that the Official Invoice/Official Receipt contains the Tax Account No. and BIR Permit No of his/her company, pursuant to P.D. No. 1255, as amended.

10. Prior to award or payment, and subject to Item III, Annex "H" of the 2016 RIRR of R.A. No. 9184¹, the supplier who submitted the Lowest Calculated and Responsive Quotation shall be required to submit the following documentary requirements² :

- a. Valid and current Mayor's /Business Permit
- b. PhilGEPS Registration Number
- c. Income/Business Tax Return³
- d. Omnibus Sworn Statement (OSS).⁴

11. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The *Sandiganbayan* shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

Very truly yours,


SUSAN A. AGRON
 S.J.S.O. – Administrative Division
 O.I.C. – Property & Supply

¹ Procuring Entities already maintaining an updated file of any of the bidder's above-mentioned requirements, whether through the PhilGEPS Certificate of Registration and Membership or its own records, may no longer require its re-submission.

² Item II., Annex "H" of the 2016 RIRR of R.A. No. 9184.

³ Subject to the pertinent provision of GPPB Resolution No. 15-2021 dated 14 October 2021

⁴ Subject to the pertinent provision of GPPB Resolution No. 15-2021 dated 14 October 2021

Price Quotation Form

Administrative Division
Sandiganbayan
Sandiganbayan Centennial Building
Batasan Road, Quezon City
Attn: Supply Section

Sir:
After having carefully read and accepted the terms and conditions in the Request for Quotation, please find below our quotation for the item/s as follows:

Item No.	Quantity	Description	Supplier's Quotation
1	21 units	<p>Kind: Pistol Caliber: 9mm Ammunition: Ctg. 9x19 mm (NATO Standard) Finish: Dull Black (corrosion and wear resistant)</p> <p>Operational Characteristics:</p> <ul style="list-style-type: none">General Operation: Semi-AutomaticAction Type: Striker-FiredSafety Features: Trigger Safety, Firing Pin Safety Block, Slide Lock (Preferably Ambidextrous) <p>Material Composition:</p> <ul style="list-style-type: none">Barrel: High Tensile Carbon Alloy SteelUpper Receiver (Slide): High Tensile Carbon Alloy Steel (Preferably Optic Ready)Lower Receiver (Frame): Polymer <p>Weight and Dimensions:</p> <ul style="list-style-type: none">Length (Overall): 180mm (minimum) to 220mm (maximum)Width (Overall): 35mm. (maximum)Height Including Magazine: 140mm. (maximum)Weight with Magazine Assembly (empty): 1,000g. (maximum)Barrel Length: 120mm. (maximum) <p>Trigger Pull:</p> <ul style="list-style-type: none">1,360g. - 3,176g. (3-7 lbs.) <p>Magazine Capacity:</p> <ul style="list-style-type: none">15 rounds (minimum), 17 rounds Preferred <p>Magazine Release:</p> <ul style="list-style-type: none">Button or Lever (Preferably Ambidextrous) <p>Sight:</p> <ul style="list-style-type: none">Front: Fixed, Steel PostRear: Fixed, Steel <p>Tactical Rail System:</p> <ul style="list-style-type: none">Frame Integral	

		<p>Accessories:</p> <ul style="list-style-type: none">● Magazine: At least Two (2) units per pistol, 15 rounds capacity (minimum), 17 rounds Preferred● Magazine Loader: One (1) for each unit● Cleaning Kit: Manufacturer's Standard● Technical/User's: One (1) per pistol <p>Manual which includes the following:</p> <ul style="list-style-type: none">● Basic Issue Items list● Repair parts● Special Tools List● Technical Data Specifications of Weapon <p>Gun Case:</p> <ul style="list-style-type: none">● Individual Hard Plastic (Black) <p>Markings:</p> <ul style="list-style-type: none">● The Word "SANDIGANBAYAN" must be engraved or electroplated on the Barrel, Slide and Frame. <p>Supplier shall provide and include the following:</p> <ul style="list-style-type: none">● Free Registration.● Permit to Transport.● Free Demonstration. (Assembly and Disassembly)● Provide Venue or Shooting Range for Testing.● At Least 45 pcs. Live Ammunitions for each pistol for testing.● Seven (7) days replacement for Defective Pistol● One (1) year warranty for parts and services.	
2	1000 pieces	<p>Caliber 9mm Service Ammunition</p> <p>Case:</p> <ul style="list-style-type: none">● Brand New, Brass <p>Powder:</p> <ul style="list-style-type: none">● Smokeless Pistol Powder, Factory Load <p>Bullet Head:</p> <ul style="list-style-type: none">● 125 grains ± 2 grains (123-127) Full Metal Jacket (FMJ) <p>Primer:</p> <ul style="list-style-type: none">● Small Pistol Primer <p>Power Factor:</p> <ul style="list-style-type: none">● 133-138 <p>Muzzle Velocity:</p> <ul style="list-style-type: none">● 1,065-1,109 feet (324.6-338.0 meters) per second	

		<p>Note:</p> <p><i>Must conform with the Terms and Condition</i></p>	
--	--	---	--

The above-quoted prices are inclusive of all costs and applicable taxes.
Very truly yours,

Name & Signature of Authorized Representative

Name of Company

Company Address

Tax Identification Number (*TIN*)

PhilGEPS Registration Number (*required prior to award*):

Contact Number/s

Email Address