



Republic of the Philippines

Sandiganbayan

Quezon City

Telephone/Fax No. +632 8951-4514/ 8951-4599

sandiganbayan_supplysection@yahoo.com

Contact Persons: *Thelma Marco/Joy Gallego/Connie Haplasca*

APPROVED FOR POSTING

MA. TERESA S. PABULAYAN

Executive Clerk of Court IV

MAR 16 2023

RFQ No.: 082-2023

Date: March 16, 2023

REQUEST for QUOTATION

The *Sandiganbayan*, through its Supply Section, Administrative Division, intends to undertake the following procurement project in accordance with Annex "H" of the 2016 Revised Implementing Rules and Regulations (RIRR) of Republic Act (R.A.) No. 9184:

Item No.	Quantity	Description	Reference P.R. No.	Approved Budget for the Contract
1	1 unit	<p>PROJECTOR Projection Technology: RGB liquid crystal shutter projection system</p> <p>Brightness White Light Output (Normal): 3,200lm Colour Light Output: Normal / Eco: 3,200lm / 1,900lm</p> <p>Connectivity Network: Wireless LAN; In-built Analog Input: D-Sub 15 pin; 1(Blue) Composite; RCA x 1 Digital Input: HDMI; 1(MHL) Audio Input: Stereo Mini Jack: 1 Others: USB Type A: 1 (for USB Memory, USB Document Camera, Firmware Update) USB Type B: 1 (for USB Display, mouse, K/B/, Control, Firmware Update)</p> <p>Contrast Ratio: Auto Iris: 10,000:1</p> <p>Wireless Specifications (Wireless LAN: Built-in) Supported Speed for Each Mode: IEEE 802.11b: 11Mbps IEEE 802.11g: 54Mbps IEEE 802.11n: 130 Mbps</p> <p>Wireless LAN Security: Quick Mode: WPA2-PSK Advanced Mode: WPA2-PSK, WPA/WPA2-PSK, WPA2-EAP</p> <p>Supported EAP type: PEAP, PEAP-TLS, EAP-TLS, EAP-Fast, LEAP</p> <p>Supported Connection Mode: Infrastructure, Access Point</p> <p>Screen Size (Projected Distance) Standard Size: 60" screen 1.35 - 1.62m</p>	21-07-422	70,000.00

		<p>Zoom : Wide: 30" - 300" (0.67 - 6.81m) Zoom : Tele: 30" - 300" (0.80 - 8.18m)</p> <p>Internal Speaker(s): Sound Output: Monaural: 1W X 1</p> <p>Direct Power On/Off: Yes/Yes</p> <p>Fan Noise (Normal / Eco): 39 dB / 30dB</p> <p>Supported Connection Mode: Wi-Fi Direct</p> <p>Projectors Facets Resolution, Projectors Facets: WXGA</p> <p>Contrast Ratio, Projectors Facets: 10,000:1</p> <p>Brightness Range Lumens, Projectors Facets: 2000</p> <p>Features, Projectors Facets: Wifi Screen Mirroring Quick Corner</p> <p>Laser / Lamp, Projectors Facets: Lamp</p>		
2	2 units	<p>PRINTER <u>LASER PRINTER (All in One) COLORED</u></p> <p>FUNCTIONS: Print, Scan, Copy, Fax with ADF</p> <p>PRINT Print Speed: (A4/Letter) Up to 30ppm / 30ppm 2-sided Printing: Yes Print Resolution: at least 600 x 600 dpi</p> <p>COPY Copy Speed (A4/Letter): Up to 30/30 cpm Reduction/Enlargement: Yes Copy Resolution (Optical): 600 x 600 dpi Copy Features: Auto 2-sided Copy</p> <p>SCAN Scanning Speed (M/C): at least 22.5 / 7.5 ipm Scan Resolution: Optical - 1,200 x 1,200 dpi Automatic 2-sided Scanning: Yes Scan to Features Image, OCR, File, FTP, Email, Email Server Enlarge/Reduce: Yes</p> <p>FAX Modem Speed: 33,600bps (Fax), Super G3 PC Fax (Send/ Receive): Yes / Yes (Windows only) Internet Fax: ITU T.37 simple mode</p> <p>PAPER HANDLING Input tray Capacity: at least 150 sheets Manual Feed Slot: Yes ADF Capacity: at least 50 Sheets</p>	21-07-422	100,000.00

		<p>Output Capacity: at least 120 Sheets Media Size: A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal</p> <p>Interface: Hi-Speed 2.0, 10Base-T/100Base-TX, IEEE 802.11b/g/n (Infrastructure Mode), IEEE 802.11g/n Wi-Fi Direct: Yes</p> <p>OTHERS Processor Speed:at least 600MHz Memory: at least 256MB Emulation: PCL6, PDF Version 1.7 OS Compatibility: Windows 7 SP1, 8, 8.1, 10, Server 2008 (Network only), Server 2008 R2 (Network only), Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), macOS v10.10.5, 10.11.x, 10.12.x (Download only), CUPS, LPD/LPRng (x86/x64environment) Energy Saving Mode: Energy Star Power Source: 220-240V, AC 50/60Hz</p> <p>At least 1-year warranty parts and service for the whole package with 1-year onsite support.</p>		
3	2 units	<p><u>HIGH SPEED SCANNER ADF (Not Flatbed)</u></p> <p>Scanner type: Sheet-fed one-pass duplex Optical Resolution: At least 600 dpi Output Resolution: at least 1200 dpi maximum Light Source: Three-color RGB LED Scanning speed: at least 65 ppm/ 130 ipm (letter size) Automatic Feed Detection: Deskew, double-feed, auto paper size Document Paper Size: at least 2" x 2" min. up to 8.5" x 120" max. Compliant Standards: TWAIN, ISIS Operating System: at least Windows 10, Windows 8, Windows 7 Software/Driver included: TWAIN, ISIS and OCR software Accessories: USB Cable, power cable Power source: Philippine Standard Warranty: 1 year on parts and service for the whole package with 1-year onsite support.</p>	21-07-422	120,000.00
		nothing follows		
			Total:	290,000.00

INSTRUCTIONS

Note: Failure to follow these instructions will disqualify your entire quotation.

1. Do not alter the contents of this form in any way.
2. If another form is used other than the attach quotation form (ANNEX A), please include the following in your quotation:
 - a. Terms of Payment
 - b. Warranty; if any
 - c. Place of Delivery: SANDIGANBAYAN, Centennial Bldg., Commonwealth Ave., cor. Batasan Road, Quezon City
 - d. Delivery Period
 - e. Price Validity Period
 - f. Stock Availability
 - g. Certificate of Exclusive Distributorship; if any
 - h. Tax Identification Number (TIN)

- i. Use company letterhead for your quotation and address to:
Atty. RITHELLE M. DESINGAÑO-YRAÑELA
Chief Judicial Staff Officer
Administrative Division
3. All technical specifications must be complied with. Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
4. Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the email shall be considered.

TERMS and CONDITIONS

1. All quotations are considered an offer of the items specified above at the prices quoted in the Price Quotation Form (“Annex A”) and a guaranty of availability of the quoted items. In the event that the offer is accepted, a Purchase Order (PO) for the above-mentioned items will be sent to the suppliers concerned advising them of such acceptance and such other terms of delivery, as applicable.

2. Delivery period shall be within One hundred twenty (120) calendar days upon receipt of the PO.

3. Failure of the supplier to deliver within the period stipulated shall make the supplier liable for the payment of the difference of the amount paid by the *Sandiganbayan* to the supplier quoting the next lower price and that offered by the delinquent supplier.

4. Goods supplied are subject to inspection by the auditor or his duly authorized representative. Payment shall be made after said inspection and acceptance of items supplied, subject to the usual auditing rules and procedures, and further subject to Item No. 11 of this Terms and Conditions.

5. Price Quotation/s must be valid for a period of thirty days (30) calendar days from date of submission, except for quotations for drugs and/or medicines which must be valid for fifteen (15) calendar days from date of submission.

6. Altering and/or amending the Terms and Conditions may be considered non-responsive/non-compliant, unless such alteration or amendment is advantageous and beneficial to the Procuring Entity.

7. In case of tie, the concerned parties will be informed and invited to a “drawing of lots” or any other similar method of chance, in accordance with GPPB Circular 06-2005 (“*Tie-Breaking Method*”).

8. The *Sandiganbayan* reserves the right to reject any or all offers, or accept such offer if it may consider most economical and advantageous to the government.


9. The supplier warrants that the Official Invoice/Official Receipt contains the Tax Account No. and BIR Permit No of his/her company, pursuant to P.D. No. 1255, as amended.

10. Prior to award or payment, and subject to Item III, Annex “H” of the 2016 RIRR of R.A. No. 9184¹, the supplier who submitted the Lowest Calculated and Responsive Quotation shall be required to submit the following documentary requirements² :

- a. Valid and current Mayor’s /Business Permit
- b. PhilGEPS Registration Number
- c. Income/Business Tax Return³
- d. Omnibus Sworn Statement (OSS)⁴

11. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The *Sandiganbayan* shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

Very truly yours,


THELMA M. MARCO
OIC – Property & Supply Section

¹ Procuring Entities already maintaining an updated file of any of the bidder’s above-mentioned requirements, whether through the PhilGEPS Certificate of Registration and Membership or its own records, may no longer require its re-submission.

² Item II., Annex “H” of the 2016 RIRR of R.A. No. 9184.

³ Subject to the pertinent provision of GPPB Resolution No. 15-2021 dated 14 October 2021

⁴ Subject to the pertinent provision of GPPB Resolution No. 15-2021 dated 14 October 2021

Price Quotation Form

Administrative Division
 Sandiganbayan
 Sandiganbayan Centennial Building
 Batasan Road, Quezon City

Attn: Supply Section

Sir:
 After having carefully read and accepted the terms and conditions in the Request for Quotation, please find below our quotation for the item/s as follows:

Item No.	Quantity	Description	Supplier's Quotation
1	1 unit	<p>PROJECTOR Projection Technology: RGB liquid crystal shutter projection system</p> <p>Brightness White Light Output (Normal): 3,200lm Colour Light Output: Normal / Eco: 3,200lm / 1,900lm</p> <p>Connectivity Network: Wireless LAN; In-built Analog Input: D-Sub 15 pin; 1(Blue) Composite; RCA x 1 Digital Input: HDMI; 1(MHL) Audio Input: Stereo Mini Jack: 1 Others: USB Type A: 1 (for USB Memory, USB Document Camera, Firmware Update) USB Type B: 1 (for USB Display, mouse, K/B/, Control, Firmware Update)</p> <p>Contrast Ratio: Auto Iris: 10,000:1</p> <p>Wireless Specifications (Wireless LAN: Built-in) Supported Speed for Each Mode: IEEE 802.11b: 11Mbps IEEE 802.11g: 54Mbps IEEE 802.11n: 130 Mbps</p> <p>Wireless LAN Security: Quick Mode: WPA2-PSK Advanced Mode: WPA2-PSK, WPA/WPA2-PSK, WPA2-EAP</p> <p>Supported EAP type: PEAP, PEAP-TLS, EAP-TLS, EAP-Fast, LEAP</p> <p>Supported Connection Mode: Infrastructure, Access Point</p> <p>Screen Size (Projected Distance) Standard Size: 60" screen 1.35 - 1.62m Zoom : Wide: 30" - 300" (0.67 - 6.81m) Zoom : Tele: 30" - 300" (0.80 - 8.18m)</p> <p>Internal Speaker(s): Sound Output: Monaural: 1W X 1</p> <p>Direct Power On/Off: Yes/Yes</p>	

		<p>Fan Noise (Normal / Eco): 39 dB / 30dB</p> <p>Supported Connection Mode: Wi-Fi Direct</p> <p>Projectors Facets Resolution, Projectors Facets: WXGA</p> <p>Contrast Ratio, Projectors Facets: 10,000:1</p> <p>Brightness Range Lumens, Projectors Facets: 2000</p> <p>Features, Projectors Facets: Wifi Screen Mirroring Quick Corner</p> <p>Laser / Lamp, Projectors Facets: Lamp</p>	
2	2 units	<p>PRINTER <u>LASER PRINTER (All in One) COLORED</u></p> <p>FUNCTIONS: Print, Scan, Copy, Fax with ADF</p> <p>PRINT Print Speed: (A4/Letter) Up to 30ppm / 30ppm 2-sided Printing: Yes Print Resolution: at least 600 x 600 dpi</p> <p>COPY Copy Speed (A4/Letter): Up to 30/30 cpm Reduction/Enlargement: Yes Copy Resolution (Optical): 600 x 600 dpi Copy Features: Auto 2-sided Copy</p> <p>SCAN Scanning Speed (M/C): at least 22.5 / 7.5 ipm Scan Resolution: Optical - 1,200 x 1,200 dpi Automatic 2-sided Scanning: Yes Scan to Features Image, OCR, File, FTP, Email, Email Server Enlarge/Reduce: Yes</p> <p>FAX Modem Speed: 33,600bps (Fax), Super G3 PC Fax (Send/ Receive): Yes / Yes (Windows only) Internet Fax: ITU T.37 simple mode</p> <p>PAPER HANDLING Input tray Capacity: at least 150 sheets Manual Feed Slot: Yes ADF Capacity: at least 50 Sheets Output Capacity: at least 120 Sheets Media Size: A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal</p> <p>Interface: Hi-Speed 2.0, 10Base-T/100Base-TX, IEEE 802.11b/g/n (Infrastructure Mode), IEEE 802.11g/n Wi-Fi Direct: Yes</p>	

		<p>OTHERS</p> <p>Processor Speed:at least 600MHz Memory: at least 256MB Emulation: PCL6, PDF Version 1.7 OS Compatibility: Windows 7 SP1, 8, 8.1, 10, Server 2008 (Network only), Server 2008 R2 (Network only), Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), macOS v10.10.5, 10.11.x, 10.12.x (Download only), CUPS, LPD/LPRng (x86/x64environment) Energy Saving Mode: Energy Star Power Source: 220-240V, AC 50/60Hz</p> <p>At least 1-year warranty parts and service for the whole package with 1-year onsite support.</p>	
3	2 units	<p><u>HIGH SPEED SCANNER ADF (Not Flatbed)</u></p> <p>Scanner type: Sheet-fed one-pass duplex Optical Resolution: At least 600 dpi Output Resolution: at least 1200 dpi maximum Light Source: Three-color RGB LED Scanning speed: at least 65 ppm/ 130 ipm (letter size) Automatic Feed Detection: Deskew, double-feed, auto paper size Document Paper Size: at least 2" x 2" min. up to 8.5" x 120" max. Compliant Standards: TWAIN, ISIS Operating System: at least Windows 10, Windows 8, Windows 7 Software/Driver included: TWAIN, ISIS and OCR software Accessories: USB Cable, power cable Power source: Philippine Standard Warranty: 1 year on parts and service for the whole package with 1-year onsite support.</p>	
		nothing follows	

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name & Signature of Authorized Representative

Name of Company

Company Address

Tax Identification Number (TIN)

PhilGEPS Registration Number (required prior to award):

Contact Number/s

Email Address